




TECHNISCHE FICHE

ARUM WARMTEPOMPBOILER




| Spec | | ARUM-200L | ARUM-300L |
|----------------------------------|-------|--------------|--------------|
| Voeding | | 230V-1P-50Hz | 230V-1P-50Hz |
| Watertank capaciteit | L | 200 | 300 |
| IPX-classificatie | | IPX1 | IPX1 |
| Elektrische schokbestendigheid | | I | I |
| Nominaal verwarmingsvermogen | kW | 2.50 | 2.50 |
| Ingangsvermogen verwarming | kW | 0.68 | 0.68 |
| Ingangsstroom verwarming | A | 2.96 | 2.96 |
| Elektrische hulpverwarmer | kW | 1.50 | 1.50 |
| Nominaal ingangsvermogen | kW | 2.32 | 2.32 |
| Nominale ingangsstroom | A | 10.10 | 10.10 |
| Koudemiddel type | | R134a | R134a |
| Koudemiddelvulling | kg | 1.65 | 1.65 |
| Watertank druk | MPa | 0.70 | 0.70 |
| Max. watertank druk | MPa | 1.00 | 1.00 |
| Nominale wateruitlaattemperatuur | °C | 55 | 55 |
| Hydraulische aansluiting | " | 3/4 | 3/4 |
| Geluidsdrukniveau | dB(A) | 45 | 45 |
| Netto gewicht | kg | 132 | 167 |
| Bedrijfsdruk (lage zijde) | MPa | 1.30 | 1.30 |
| Bedrijfsdruk (hoge zijde) | MPa | 2.10 | 2.10 |

| Verwarmingsprestatie | | | |
|----------------------|----|------|------|
| Verwarmingsvermogen | kW | 2.50 | 2.50 |
| Opgenomen vermogen | kW | 0.68 | 0.68 |
| COP | | 3.63 | 3.74 |



AFMETINGEN *(in mm)*



| Model | A | B | C | D | E | F | G |
|-----------|------|--------|--------|-----|------|-----|-----|
| ARUM-200L | 1731 | 1058 | 956.5 | 370 | 58.5 | 570 | 566 |
| ARUM-300L | 1804 | 1154.5 | 1054.5 | 370 | 58.5 | 655 | 640 |

